Quantitative Risk Management

The Evolution of Stress Testing Best Practices

5° Congresso de Gestão de Riscos – FEBRABAN

São Paulo, 30/09/2015

 $df(r_i) = \phi_i(\theta_i - f(r_i))dt + \sigma_i dW_i$

The Evolution of Stress Testing Best Practices

- I. Introduction
- II. A Regional Comparison
- **III.** Observations of Common and Practical Challenges
- IV. What are Global Best Practices Today?
- V. Where are Global Best Practices Heading?
- VI. Local Challenges and Opportunities

VII. Conclusion



Conclusão

- Teste de Stress estão em evolução em geral e no Brasil em particular
 - ICAAP em fase madura
 - Banco Central do Brasil: TETD e TEBU
 - Convergência de requerimentos com outras jurisdições
- Desafios para a implementação dos testes de stress
 - Governança do processo
 - Silos
- Caráter proativo
 - Visão prospectiva (forward looking)
 - Integração consistente e abrangente
- Infraestrutura para integrar os diversos aspectos do TS



Conclusion

- Best practice risk management calls for integrated stress tests, as capturing risk interaction applies to risk measures and the overlap in customer/strategic behavior
- Effective stress testing is facilitated by modeling in a holistic and unified view
 - Ensures a consistent risk culture/language throughout the institution
 - Testing becomes more meaningful/actionable to management and regulators
 - Allows for more sophisticated extensions to improve decision making
- When properly architected, a stress testing process can lead to more informed decisions, improved response times and assist the organization in setting its strategic vision



Please Contact QRM for Additional Information

Email: brasil@qrm.com

 $\operatorname{Sin}(\alpha_{i}) = \operatorname{Sin}(\alpha_{i}) = \operatorname{Sin}(\alpha_{i}) \operatorname{Sin}(\alpha_{i})$

© 2015 Quantitative Risk Management, Inc.





Thank you

 $df(r_i) = \phi_i (\theta_i - f(r_i)) dt + \sigma_i dW_i$

Chicago | London | Singapore



<u>World Headquarters:</u> 181 West Madison Street, 41st Floor Chicago, IL 60602 +1 312 782 1880

> London Office: 13 Austin Friars London EC2N 2HE +44 (0)20 7920 9442

Singapore Office: 65 Chulia Street, #27-08 Singapore 049513 +65 6536 3402

www.qrm.com

 $df(r_i) = \phi_i (\theta_i - f(r_i)) dt + \sigma_i dW_i$